

Master Series Heavy Duty Gas Fryer

Item: M35SS
Quantity:
Project:
Approval:
Date:

	Λ Λ			
	I\ /I	OC		ıc.
П	ıvı	-	ı (D.

M35SS

17" Gas Fryer



Model M35SS, Shown With Optional 17" Backguard & Casters

Standard Features:

- Stainless steel front, front rail, and sides.
- Infra-red, jet-type burner, rated 110,000BTU/Hr., (32.23kW/Hr.)
- Piezo spark ignition with constant burning, 100% safety pilot
- Built-in pressure regulator
- 35lb., (16kg), capacity stainless steel frypot
- Twin chrome wire baskets
- 6" (152mm), chrome steel adjustable legs

Optional Features:

- Stainless steel common front rail up to 68" (1728mm), wide, (2 or more units in a battery)
- Stainless steel main back
- Additional fry baskets
- Large single fry basket

- ☐ Stainless steel frypot cover
- Stainless steel fish plate
- Rear gas connection, 3/4" or 1-1/4" NPT
- Manifold end cap(s) and cover(s), (no charge)
- Swivel casters, (4), with front brakes
- Polyurethane, non-marking swivel casters, (4), with front brakes
- 6" (152mm) stainless steel adjustable legs
- Stainless steel backguard: 10" (354mm), 17" (432mm) or 33" (838mm) high
- 17" (432mm) wide frymate dump station, storage base, stainless steel pans with drain Chrome plated wire rack with handles, model M14FD
 - Heat lamp for dump station

Specifications:

Heavy-duty, range-match gas fryer, model M35SS. 110,000 BTU/Hr., (32.23kW), infra-red jet-type burner. 35lb., (16kg), capacity stainless steel fry pot. 17" (432mm), wide x 38" (965mm), deep, including 8-1/4" (210mm) deep. Stainless steel front, front rail and, sides.







NOTE: Fryers suppled with casters must be installed with an approved restraining device.



Garland Commercial Ranges Ltd 1177 Kamato Road, Mississauga, Ontario L4W 1X4 CANADA Phone: 905-624-0260 Fax: 905-624-5669






	MANIFOLD OPERAT- ING PRESSURE		CLEARANCES			SHIPPING		
TOTAL INPUT			INSTALLATION		ENTRY		C F4	W-:-L4
	NAT	PRO	Sides	Rear	Crated	Uncrated	Cu Ft	Weight
110,000 BTU/Hr (32.23kW/Hr)	4.0" WC (10mbar)	9.0" WC (22mbar)	6" (152mm)	6" (152mm)	29-1/4" (746mm)	17-1/4" (618mm)	26	220lb. (100kg)

Gas input ratings shown here are for installations up to 2,000 feet (610mm) above sea level.


Input must be derated for high altitude installations.

FRYING CAPACITY (per hour)				
FRENC	H FRIES	FISH	BREADED CHICKEN	
Raw to Done	Blanched to Done	3oz. (84g), Battered	Raw to Done	
60lb. (27kg)	80lb. (36kg)	60lb. (27kg)	28lb. (13kg)	



DIMENSIONS & SPECIFICATIONS		
Width	17"(432mm)	
Depth	38" (965mm	
Height (w/ NSF Legs)	36-3/8" (924mm)	
Height (w/o NSF Legs)	30-3/8" (772mm)	

Garland/U.S. Range products are not approved or authorized for home or residential use, but are intended for commercial applications only. Garland / U.S. Range will not provide service, warranty, maintenance or support of any kind other than in commercial applications



Garland Commercial Industries, LLC 185 East South Street Freeland, PA 18224 Phone: (570) 636-1000 Fax: (570) 636-3903 Garland Commercial Ranges Ltd 1177 Kamato Road, Mississauga, Ontario L4W 1X4 CANADA Phone: 905-624-0260 Fax: 905-624-5669



Form# M35SS (09/02/09)